

List of Tables

Table 1-1	IEUA Service Area Climate	1-5
Table 1-2	Water Agencies within IEUA Service Area	1-6
Table 1-3	Regional Agencies Involved in 2010 UWMP Preparation	1-13
Table 2-1	Historical Population by Member Agency	2-2
Table 2-2	2000-2035 Actual and Projected Population by Communities.....	2-6
Table 2-3	IEUA Historical GPCD	2-16
Table 3-1	2000-2010 Water Demand by Retail Agencies	3-4
Table 3-2	Total Water Production by Source within IEUA Service Area (AFY)	3-5
Table 3-3	Summary of Water Quality Data for Groundwater from Chino Basin.....	3-10
Table 3-4	Production of Chino Basin Groundwater (AFY) by Pool.....	3-11
Table 3-5	Groundwater Supply from Other Basins Used within IEUA Service Area (AFY)	3-14
Table 3-6	Surface Water Supply within IEUA Service Area (AFY)	3-14
Table 3-7	Recycled Water Supply within IEUA Service Area (AFY)	3-15
Table 3-8	MWD Historical Water Purchases by IEUA (AFY).....	3-18
Table 3-9	Water Demand Projections by IEUA Member Agencies.....	3-20
Table 3-10	Projected Urban Water Supply in IEUA Service Area by Source (AFY)	3-21
Table 3-11	Projected Chino Basin Production for Urban Use in IEUA Service Area (AFY).....	3-23
Table 3-12	Projected Chino Basin Desalter Water for Urban Supply (AFY).....	3-23
Table 3-13	Projected Other Basin Groundwater Supply in IEUA Service Area (AFY)	3-24
Table 3-14	Projected Surface Water Production Supply in IEUA Service Area (AFY)	3-24
Table 3-15	Projected Recycled Water Use and Supply in IEUA Service Area (AFY).....	3-26
Table 3-16	Projected Imported Water Supply in IEUA Service Area (AFY)	3-27
Table 5-1	Ten-Year Growth Forecast by Contracting Agencies	5-10
Table 5-2	FY 2011/2012 Ten-Year Capacity Demand Forecast by Land Use	5-11
Table 5-3	2011/2012 Ten-Year Capacity Demand Forecast by Regional Recycled Water Plant ...	5-12
Table 5-4	Alternative Flow Scenarios – Net Increase between 2014/2015 and 2020/2021.....	5-13
Table 5-5	Regional System Flow and Capacity Utilization Summary (MGD)	5-15
Table 6-1	Recycled Water Three Year Business Plan Annual Goals.....	6-2
Table 6-2	Potential Recycled Water Supply.....	6-5
Table 6-3	IEUA 2010 Recycled Water Rate Survey Results.....	6-11
Table 7-1	Chino Groundwater Basin Appropriative Pool Rights.....	7-7
Table 7-2	Chino Groundwater Basin Overlying Non-Agricultural Pool Rights.....	7-8
Table 7-3	Chino Basin Potential Water Recharge Capacities.....	7-14
Table 7-4	Actual and Projected Chino Basin Groundwater Recharge	7-15
Table 7-5	Participating Agencies DYY Shift Obligations.....	7-17
Table 8-1	Chino Basin Desalter Projected Production Including Phase III Expansion	8-3
Table 8-2	Gray Water Reuse of Landscape Irrigation Without Conservation	8-12
Table 9-1	MWD “WSDM” Plan Definition.....	9-1
Table 9-2	MWD Water Surplus and Drought Management (WSDM) Plan.....	9-2
Table 9-3	IEUA and Retail Agency Staged Actions.....	9-3
Table 9-4	Water Storage Contingency Plan Check List by Agency.....	9-4
Table 9-5	Drought Stage Definitions by Agency	9-5
Table 9-6	Local Agency Drought Ordinances.....	9-5
Table 10-1	Current Percentage of Urban Water Supplies within the IEUA Service Area	10-1
Table 10-2	Summary of Water Quality Data for Groundwater from Chino Basin.....	10-7
Table 11-1	Supply Reliability as Percentage of Normal Water Year Supply	11-1
Table 11-2	Basis of Water Year Data	11-1

Table 11-3	Projected Normal Year Water Supply (AFY)	11-2
Table 11-4	Projected Normal Year Water Demand (AFY).....	11-2
Table 11-5	Projected Normal Year Supply and Demand Comparison (AFY).....	11-3
Table 11-6	Participating agencies DYY Shift Obligations	11-4
Table 11-7	Projected Single Dry Year Water Supply (AFY)	11-5
Table 11-8	Projected Single Dry Year Water Demand (AFY)	11-6
Table 11-9	Projected Single Dry Year Supply and Demand Comparison (AFY)	11-6
Table 11-10	Projected Supply During Multiple Dry Year Period Ending in 2015 (AFY)	11-7
Table 11-11	Projected Demand During Multiple Dry Year Period Ending in 2015 (AFY).....	11-8
Table 11-12	Projected Supply and Demand Comparison During Multiple Dry Year Period Ending in 2015 (AFY)	11-8
Table 11-13	Projected Supply During Multiple Dry Year Period Ending in 2020 (AFY)	11-8
Table 11-14	Projected Demand During Multiple Dry Year Period Ending in 2020 (AFY).....	11-9
Table 11-15	Projected Supply and Demand Comparison During Multiple Dry Year Period Ending in 2020 (AFY)	11-9
Table 11-16	Projected Supply During Multiple Dry Year Period Ending in 2025 (AFY)	11-9
Table 11-17	Projected Demand During Multiple Dry Year Period Ending in 2025 (AFY).....	11-10
Table 11-18	Projected Supply and Demand Comparison During Multiple Period Ending in 2025 (AFY)	11-10
Table 11-19	Projected Supply During Multiple Dry Year Period Ending in 2030 (AFY)	11-10
Table 11-20	Projected Demand During Multiple Dry Year Period Ending in 2030 (AFY).....	11-11
Table 11-21	Projected Supply and Demand Comparison During Multiple Dry Year Period Ending in 2030(AFY)	11-11
Table 11-22	Projected Supply During Multiple Dry Year Period Ending in 2035 (AFY)	11-11
Table 11-23	Projected Demand During Multiple Dry Year Period Ending in 2035 (AFY).....	11-12
Table 11-24	Projected Supply and Demand Comparison During Multiple Dry Year Period Ending in 2035 (AFY)	11-12
Table 12-1	Recycled Water Business Plan Annual Goals for Connected Demand and Sales	12-3

List of Figures

Figure 1-1	Location Map of IEUA	1-1
Figure 1-2	Santa Ana Watershed Boundary.....	1-2
Figure 1-3	Service Area and Facilities of the Chino Basin Water Conservation District	1-11
Figure 2-1	2000-2010 Population within IEUA's Service Area	2-1
Figure 2-2	Average Annual Population Growth in MWDSC's Service Area	2-2
Figure 2-3 a-d	1957-2001 Land Use Within the Chino Basin	2-3/2-4/2-5
Figure 2-4	Actual and Projected Population (by County)	2-6
Figure 2-5	Actual and Projected Urban Employment (by County)	2-7
Figure 2-6	Actual and Projected Households (by County)	2-8
Figure 2-7	IEUA Member Agency Overall Water Use Trend	2-8
Figure 2-8	IEUA's Historical Average Monthly Influent Flows	2-12
Figure 2-9	Historical Demands & Alternative Demand Projections.....	2-13
Figure 2-10	Alternative Near-Term Projected Potable Demand Sensitivity Analysis	2-15
Figure 3-1	2000-2010 Total Water Use within IEUA Service Area	3-3
Figure 3-2	Total Water Supplies within IEUA Service Area.....	3-6
Figure 3-3	Groundwater Use in the IEUA Service Area.....	3-7
Figure 3-4	Chino Groundwater Basin and IEUA Service Area	3-9
Figure 3-5	MWD Service Area Map.....	3-16
Figure 3-6	% of Full Service Imported Water from MWD out of Total Supplies.....	3-17
Figure 3-7	2000-2035 Total Water Use within IEUA Service Area	3-19
Figure 3-8	Comparison of IEUA and MWD Projected Demand.....	3-20
Figure 4-1	Avoided Tier II Costs Due to Conservation (Dry Year)	4-14
Figure 4-2	Historical Local Funding vs. Outside Funding	4-24
Figure 4-3	IEUA Service – Locally and Regionally Administered Water Use Efficiency Programs ..	4-25
Figure 4-4	Energy Savings Associated with Water Conservation.....	4-26
Figure 5-1	Regional Plant Service Area Boundaries	5-1
Figure 5-2	Existing Regional Trunk Wastewater System & Tributary Areas	5-3
Figure 5-3	IEUA Coordinated Regional Planning Process.....	5-4
Figure 5-4	FY 1988/1989 to FY 2009/2010 Forecasted and Actual Building	5-6
Figure 5-5	Current Wastewater Flows	5-7
Figure 5-6	Regional Plant Wastewater Flow History	5-8
Figure 5-7	Recent Water Use and Wastewater Flow Trends.....	5-9
Figure 5-8	Historical Building Activity and Successive Year Growth Forecasts.....	5-11
Figure 5-9	Ten-Year Flow Forecast (200 gpd/EDU)	5-14
Figure 5-10	Ten-Year Flow Forecast (250 gpd/EDU)	5-14
Figure 5-11	Regional System 50-Year Forecast.....	5-16
Figure 6-1	Recycled Water Distribution Lines and Regional Plants	6-6
Figure 7-1	Chino Groundwater Basin & Surrounding Groundwater Basins.....	7-2
Figure 7-2	Chino Groundwater Basins with Management Zones	7-4
Figure 7-3	Chino Groundwater Basins with Priority Recharge Areas	7-5
Figure 7-4	Storage and Recovery in the Chino Basin	7-11
Figure 7-5	Chino Basin Storm Runoff	7-12
Figure 10-1	Location of Groundwater Wells in Chino Basin	10-30
Figure 10-2	Total Dissolved Solids in Well water in Chino Basin	10-31
Figure 10-3	Nitrate-Nitrogen in Groundwater.....	10-32

Figure 10-4	Trichloroethene in Groundwater.....	10-33
Figure 10-5	Tetrachloroethene in Groundwater	10-34
Figure 10-6	1,1-Dichloroethene in Groundwater	10-35
Figure 10-7	1,2-Dichloroethene in Groundwater	10-36
Figure 10-8	Cis-1,2-Dichloroethene in Groundwater.....	10-37
Figure 10-9	1,1-Dichloroethane in Groundwater	10-38
Figure 10-10	1,2,3-Trichloropropane in Groundwater	10-39
Figure 10-11	Arsenic in Groundwater.....	10-40
Figure 10-12	Vanadium in Groundwater	10-41
Figure 10-13	Perchlorate in Groundwater	10-42
Figure 10-14	Total Chromium in Groundwater.....	10-43
Figure 10-15	Hexavalent Chromium in Groundwater.....	10-44
Figure 10-16	Sulfate in Groundwater	10-45
Figure 10-17	Chloride in Groundwater	10-46
Figure 10-18	Groundwater Contamination in Groundwater	10-47
Figure 10-19	Chino Basin Management Zone 1.....	10-48
Figure 10-20	Well Locations.....	10-49
Figure 10-21	Chino Basin Management Zone 1 – Total Dissolved Solids Concentrations.....	10-50
Figure 10-22	Chino Basin Management Zone 1 – Nitrogen Concentrations	10-51
Figure 10-23	Chino Basin Management Zone 2 – Total Dissolved Solids Concentrations.....	10-52
Figure 10-24	Chino Basin Management Zone 2 – Nitrogen Concentrations	10-53
Figure 10-25	Chino Basin Management Zone 3 – Total Dissolved Solids Concentrations.....	10-54
Figure 10-26	Chino Basin Management Zone 3 – Nitrogen Concentrations	10-55
Figure 10-27	Chino Basin Management Zone 4 & 5 – Total Dissolved Solids Concentrations	10-56
Figure 10-28	Chino Basin Management Zone 4 & 5 – Nitrogen Concentrations.....	10-57
Figure 12-1	IEUA's Avoided Tier II Costs Due to Conservation Over the Past 5-Years	12-2